Title:

Certificate of Analysis (CoA)



Date: 3/6/2026
Date Tested: 3/2/2026
Customer: Pure Lab Peptides
Testing material: Selank
Lot Number: 85121
BT Sample ID: 005000039049088
Labeled Peptide Content/Potency: 10 mg
Storage: R.T.
Visual Description: Small Clear vial: white sample, white label, red crimp, clear purple plastic cap.
Labeled as: Selank
Manufacturer: N/A
Testing Purpose: FTIR and HPLC analysis for the identification, purity, potency and composition of a peptide product. It does not provide information on particulate matter, microbial contamination or presence of endotoxins.

Test	Method	Specification	Result
General Appearance	USP <630>	white powder	white powder
Mass	USP <41>	As recorded	74.9 mg
FTIR Identification and Composition Analysis	USP <197A>	Sample spectrum should confirm the content of peptide via characteristic bands	FTIR sample spectrum confirms the presence of Selank with addition of excipient(s)/fillers.
HPLC Purity of Peptide Assay	USP <621>	Specifications: ≥ 98 %	99.5 %
HPLC Potency Assay	USP <621>	Specifications: 90 – 110% of 10 mg	10.9 mg (109 %)
Peptide-to-Excipients Ratio	USP <1151>	Recommended ratios of (1:2) to (1:10) for (peptide: excipients)	10.9 : 64 mg (1:5.9)

The results of the CoA relate only to the item(s) tested and applied to the sample as received.


Andrea Castro, AS
Scientist-I
BTLabs

Verna Zheng, AS
Scientist-I
BTLabs


Title:

Certificate of Analysis (CoA)

FTIR ID and Composition Analysis: Selank Lot 85121



HPLC Purity and Potency Assay @ 220 nm: Selank Lot 85121



Selank Lot 85121 @ 220 nm		
Peak #:	Retention Time (min)	Area (mAU*s)
1	3.461	18505.6

5730 Corporate Way | Suite 220 | West Palm Beach, FL 33407
Phone: (561) 625-0133
E-mail: info@btlabtesting.com | Website: https://btlabtesting.com